


THE BEST OF BOTH WORLDS

Specify FIRESIST® for an up-to-code fire-resistant awning and shade fabric that looks as good as it performs. Improved strength, colorfastness, and weather-resistance make fabrication with FIRESIST easier than ever.




CEDAR
82023-0000

NEW!




IVORY
82015-0000




FOG
82024-0000


NEW!




SAND
82006-0000




GREY
82030-0000




TOASTY BEIGE
82012-0000



SUNBURST YELLOW
82013-0000




FOREST GREEN
82003-0000




REDWOOD
82021-0000

NEW!




FLANNEL
82022-0000


NEW!




BLACK
82008-0000




ADMIRAL NAVY
82010-0000




REGATTA
82000-0000



BURGUNDY
82016-0000



CRIMSON RED
82017-0000



TERRACOTTA
82014-0000



FIRE RETARDANT

FIRE SIST® delivers a state-of-the-art combination of flame retardant performance and UV resistance that exceeds industry standards.

WEATHER RESISTANCE

With over 100 years of outdoor awning experience, Glen Raven has engineered new coatings and finishes to maximize water repellency, sunlight resistance, and ease of cleaning.

COLOR RETENTION & STRENGTH

The deep, rich colors and robust durability of FIRE SIST deliver long lasting good looks to any application. Plus, workability improvements make cutting, sewing and welding easier than ever.

STYLING

The new FIRE SIST color palette focuses on popular solids and tweeds.



GREENGUARD CERTIFICATION
Firesist fabric has achieved GREENGUARD GOLD Certification. Firesist fabrics are certified by GREENGUARD as contributing to healthy air quality by being a very low chemical emitting product.

TECHNICAL DATA	
WEIGHT	8.75 oz. per square yard
WIDTH	60" / 152.4 cm
COLOR	Solution dyed to resist color loss from UV exposure and weathering. Resistant to most chemicals, including bleach.
WARRANTY	5 years against loss of color or strength.
SURFACE	Plain weave - Highly water repellent and soil/stain release finish.
UNDERSIDE	Urethane/acrylic coating
TRANSPARENCY LEVEL	Lighter shades translucent for back-lighting applications.
ABRASION RESISTANCE	Excellent
FLEXIBILITY	Excellent in both hot and very cold conditions.
FLAME RESISTANCE <small>(PASSES ALL, BUT NOT LIMITED TO)</small>	California State Fire Marshal Title 19 NFPA 701-99, test method II CPAI-84; Tent walls and roof FMVSS 302 FAA 25.853 (Aviation) UFAC Upholstered Furniture, Class 1 ULCS-109
MILDEW RESISTANCE	Excellent (with proper maintenance and cleaning)
CHEMICAL RESISTANCE	Excellent
WATER REPELLENCY	Excellent
OIL RESISTANCE	Very good
SEWABILITY	Excellent
HEAT SEALING	Can be heat sealed using sealing tape and heat source such as wedge, hot air, radio frequency welding, etc.

